



STATE WATER RESOURCES CONTROL BOARD
REGIONAL WATER QUALITY CONTROL BOARDS

Interim

CALIFORNIA STATE



ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

CERTIFICATE OF ENVIRONMENTAL ACCREDITATION

Is hereby granted to

Fruit Growers Laboratory, Inc.

Chico

563 East Lindo Avenue

Chico, CA 95926

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site inspection,
proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of
Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **2670**

Expiration Date: **8/31/2020**

Effective Date: **9/1/2019**

A handwritten signature in cursive script, appearing to read "Christine Sotelo".

Sacramento, California
subject to forfeiture or revocation

Christine Sotelo, Chief
Environmental Laboratory Accreditation Program



State Water Resources Control Board

August 13, 2019

Kelly Dunnahoo
Fruit Growers Laboratory, Inc.
563 East Lindo Avenue
Chico, CA 95926

Dear Kelly Dunnahoo:

Certificate No. 2670

This is to advise you that the laboratory named above has been granted an interim certificate pursuant to California Health and Safety Code (HSC), Division 101, Part 1, Chapter 4, Section 100850(d).

The Fields of Testing for which this laboratory has been granted interim certification is shown in the enclosed "Fields of Testing". The Interim certificate shall remain in effect until **August 31, 2020** or until a certificate pursuant to HSC 100825(a) is issued.

Your laboratory is required to participate in the appropriate performance evaluation studies and to perform acceptably in such studies as stated in HSC 100870 and Title 22 of the California Code of Regulations Section 64809. Continued compliance with the Environmental Laboratory Accreditation Program statutes and regulations is required for maintaining the interim certification status.

Any changes in laboratory location or structural alterations, which may adversely affect the quality of analysis in the fields of testing for which the laboratory has been granted certification, require prior notification. Notification is also required for changes in ownership or laboratory director within 30 days after the change (HSC 100845(b) and (d)).

Contact our office at (916) 323-3431 or elapca@waterboards.ca.gov for questions.

Sincerely,

A handwritten signature in cursive script, appearing to read "Christine Sotelo".

Christine Sotelo, Chief
Environmental Laboratory Accreditation Program

Enclosure



**CALIFORNIA STATE
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM
Accredited Fields of Testing**



Fruit Growers Laboratory, Inc.

Chico
563 East Lindo Avenue
Chico, CA 95926
Phone: 5303435818

Certificate No. 2670
Expiration Date 8/31/2020
INTERIM

Field of Testing: 101 - Microbiology of Drinking Water

101.010	001	Heterotrophic Bacteria	SM 9215 B
101.020	001	Total Coliform P/A	SM 9221 B
101.020	002	Fecal Coliform P/A	SM 9221 B,E
101.020	004	Total Coliform (Enumeration)	SM 9221 B,C
101.020	005	Fecal Coliform (Enumeration)	SM 9221 B,E
101.050	001	Total Coliform P/A	SM 9223 B Colilert
101.050	002	E. coli P/A	SM 9223 B Colilert
101.050	003	Total Coliform (Enumeration)	SM 9223 B Colilert
101.050	004	E. coli (Enumeration)	SM 9223 B Colilert
101.050	005	Total Coliform P/A	SM 9223 B Colilert 18
101.050	006	E. coli P/A	SM 9223 B Colilert 18
101.050	007	Total Coliform (Enumeration)	SM 9223 B Colilert 18
101.050	008	E. coli (Enumeration)	SM 9223 B Colilert 18
101.050	009	Total Coliform P/A	SM 9223 B Colisure
101.050	010	E. coli P/A	SM 9223 B Colisure
101.050	011	Total Coliform (Enumeration)	SM 9223 B Colisure
101.050	012	E. coli (Enumeration)	SM 9223 B Colisure

Field of Testing: 102 - Inorganic Chemistry of Drinking Water

102.095	001	Turbidity	SM 2130 B-2001
102.130	001	Specific Conductance	SM 2510 B-1997
102.175	001	Chlorine, Free	SM 4500-Cl G-2000
102.175	002	Chlorine, Total Residual	SM 4500-Cl G-2000
102.203	001	Hydrogen Ion (pH)	SM 4500-H+ B-2000

Field of Testing: 107 - Microbiological Methods for Non-Potable Water and Sewage Sludge

107.010	001	Heterotrophic Bacteria	SM 9215 B
107.020	002	Total Coliform	SM 9221 B-2006
107.030	002	Total Coliform with Chlorine Present	SM 9221 B-2006
107.040	002	Fecal Coliform (Enumeration)	SM 9221 C,E-2006
107.050	002	Fecal Coliform with Chlorine Present	SM 9221 C,E-2006
107.245	001	E. coli (Enumeration)	SM 9223 B Colilert 18
107.245	002	E. coli (Enumeration)	SM 9223 B Colilert

Field of Testing: 108 - Inorganic Constituents in Non-Potable Water

108.385	001	Color	SM 2120 B-2001
---------	-----	-------	----------------

As of 8/13/2019 , this list supersedes all previous lists for this certificate number.
Customers: Please verify the current accreditation standing with the State.

108.390	001	Turbidity	SM 2130 B-2001
108.430	001	Specific Conductance	SM 2510 B-1997
108.443	001	Residue, Settleable	SM 2540 F-1997
108.465	001	Chlorine, Total Residual	SM 4500-Cl G-2000
108.490	001	Hydrogen Ion (pH)	SM 4500-H+ B-2000