



STATE WATER RESOURCES CONTROL BOARD
REGIONAL WATER QUALITY CONTROL BOARDS

CALIFORNIA STATE



ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

CERTIFICATE OF ENVIRONMENTAL ACCREDITATION

Is hereby granted to

Fruit Growers Laboratory, Inc.

Chico

563 East Lindo Avenue

Chico, CA 95926

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site inspection,
proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of
Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **2670**

Expiration Date: **8/31/2021**

Effective Date: **9/1/2019**

A handwritten signature in blue ink, appearing to read "Christine Sotelo".

Sacramento, California
subject to forfeiture or revocation

Christine Sotelo, Chief
Environmental Laboratory Accreditation Program



**CALIFORNIA STATE
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM
Accredited Fields of Testing**



Fruit Growers Laboratory, Inc.

Chico
563 East Lindo Avenue
Chico, CA 95926
Phone: 5303435818

**Certificate No. 2670
Expiration Date 8/31/2021**

Field of Testing: 101 - Microbiology of Drinking Water

101.010	001	Heterotrophic Bacteria	SM 9215 B
101.020	001	Total Coliform P/A	SM 9221 B
101.020	002	Fecal Coliform P/A	SM 9221 B,E
101.020	004	Total Coliform (Enumeration)	SM 9221 B,C
101.020	005	Fecal Coliform (Enumeration)	SM 9221 B,E
101.050	001	Total Coliform P/A	SM 9223 B Colilert
101.050	002	E. coli P/A	SM 9223 B Colilert
101.050	003	Total Coliform (Enumeration)	SM 9223 B Colilert
101.050	004	E. coli (Enumeration)	SM 9223 B Colilert
101.050	005	Total Coliform P/A	SM 9223 B Colilert 18
101.050	006	E. coli P/A	SM 9223 B Colilert 18
101.050	007	Total Coliform (Enumeration)	SM 9223 B Colilert 18
101.050	008	E. coli (Enumeration)	SM 9223 B Colilert 18
101.050	009	Total Coliform P/A	SM 9223 B Colisure
101.050	010	E. coli P/A	SM 9223 B Colisure
101.050	011	Total Coliform (Enumeration)	SM 9223 B Colisure
101.050	012	E. coli (Enumeration)	SM 9223 B Colisure

Field of Testing: 102 - Inorganic Chemistry of Drinking Water

102.095	001	Turbidity	SM 2130 B-2001
102.130	001	Specific Conductance	SM 2510 B-1997
102.203	001	Hydrogen Ion (pH)	SM 4500-H+ B-2000

Field of Testing: 107 - Microbiological Methods for Non-Potable Water and Sewage Sludge

107.010	001	Heterotrophic Bacteria	SM 9215 B
107.020	002	Total Coliform	SM 9221 B-2006
107.030	002	Total Coliform with Chlorine Present	SM 9221 B-2006
107.040	002	Fecal Coliform (Enumeration)	SM 9221 C,E-2006
107.050	002	Fecal Coliform with Chlorine Present	SM 9221 C,E-2006
107.245	001	E. coli (Enumeration)	SM 9223 B Colilert 18
107.245	002	E. coli (Enumeration)	SM 9223 B Colilert

Field of Testing: 108 - Inorganic Constituents in Non-Potable Water

108.385	001	Color	SM 2120 B-2001
108.390	001	Turbidity	SM 2130 B-2001
108.430	001	Specific Conductance	SM 2510 B-1997

As of 9/1/2020, this list supersedes all previous lists for this certificate number.
Customers: Please verify the current accreditation standing with the State.

108.443 001 Residue, Settleable SM 2540 F-1997

108.490 001 Hydrogen Ion (pH) SM 4500-H+ B-2000
