



# PERRY JOHNSON LABORATORY ACCREDITATION, INC.

## Certificate of Accreditation

*Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:*

***Fruit Growers Laboratory, Inc.***  
 2500 Stagecoach Road, Stockton, CA 95215  
 853 Corporation Street, Santa Paula, CA 93060  
 9415 W. Goshen Avenue, Visalia, CA 93291

*(Hereinafter called the Organization) and hereby declares that Organization is accredited in accordance with the recognized International Standard:*

**ISO/IEC 17025:2005**

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (as outlined by the joint ISO-ILAC-IAF Communiqué dated January 2009):

***Biological Testing***  
*(As detailed in the supplement)*

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Tracy Szerszen  
 President/Operations Manager

*Initial Accreditation Date:*

February 17, 2014

*Issue Date:*

May 20, 2016

*Expiration Date:*

June 30, 2018

*Revision Date:*

June 9, 2017

*Accreditation No.:*

75605

*Certificate No.:*

L16-219-R1

Perry Johnson Laboratory  
 Accreditation, Inc. (PJLA)  
 755 W. Big Beaver, Suite 1325  
 Troy, Michigan 48084

*The validity of this certificate is maintained through ongoing assessments based on a continuous accreditation cycle. The validity of this certificate should be confirmed through the PJLA website: [www.pjlabs.com](http://www.pjlabs.com)*



# Certificate of Accreditation: Supplement

## Fruit Growers Laboratory, Inc.

2500 Stagecoach Road, Stockton, CA 95215  
853 Corporation Street, Santa Paula, CA 93060  
9415 W. Goshen Avenue, Visalia, CA 93291  
Contact Name: David Terz Phone: 805-392-2024

Accreditation is granted to the facility to perform the following testing:

### 2500 Stagecoach Road, Stockton, CA 95125 9415 W. Goshen Avenue, Visalia, CA 93291

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Biological <sup>F</sup>	Water, Swabs, Produce	Total Coliforms/E.Coli	SM 9223B (22 <sup>nd</sup> edition)	1 MPN/100 mL or Presence/Absence

### 853 Corporation Street, Santa Paula, CA 93060

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Biological <sup>F</sup>	Water, Swabs, Produce	Total Coliforms/E.Coli	SM 9223B (22 <sup>nd</sup> edition)	1 MPN/100 mL or Presence/Absence
		E. Coli: O157:H7	AOAC 200.14	Presence/Absence
		Listeria	AOAC-RI LC# 041101	
		Salmonella	AOAC-RI LC# 960801	
	Food, Swabs	Aerobic Plate Count by Petrifilm	AOAC 990.12	<10 CFU/g

1. The presence of a superscript F means that the laboratory performs testing of the indicated parameter at its fixed location. Example: Outside Micrometer<sup>F</sup> would mean that the laboratory performs this testing at its fixed location.