



STATE WATER RESOURCES CONTROL BOARD
REGIONAL WATER QUALITY CONTROL BOARDS

Interim



CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

CERTIFICATE OF ENVIRONMENTAL ACCREDITATION

Is hereby granted to

Fruit Growers Laboratory, Inc.

Visalia

9415 West Goshen Avenue

Visalia, CA 93291

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site inspection,
proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of
Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **2810**

Expiration Date: **2/28/2020**

Effective Date: **3/1/2019**

A handwritten signature in black ink, appearing to read "Christine Sotelo".

Sacramento, California
subject to forfeiture or revocation

Christine Sotelo, Chief
Environmental Laboratory Accreditation Program



EDMUND G. BROWN JR.
GOVERNOR



MATTHEW RODRIGUEZ
SECRETARY FOR
ENVIRONMENTAL PROTECTION

State Water Resources Control Board

February 26, 2019

Kelly Dunnahoo
Fruit Growers Laboratory, Inc.
9415 West Goshen Avenue
Visalia, CA 93291

Dear Kelly Dunnahoo:

Certificate No. 2810

This is to advise you that the laboratory named above has been granted an interim certificate pursuant to California Health and Safety Code (HSC), Division 101, Part 1, Chapter 4, Section 100850(d).

The Fields of Testing for which this laboratory has been granted interim certification is shown in the enclosed "Fields of Testing". The Interim certificate shall remain in effect until **February 28, 2020** or until a certificate pursuant to HSC 100825(a) is issued.

Your laboratory is required to participate in the appropriate performance evaluation studies and to perform acceptably in such studies as stated in HSC 100870 and Title 22 of the California Code of Regulations Section 64809. Continued compliance with the Environmental Laboratory Accreditation Program statutes and regulations is required for maintaining the interim certification status.

Any changes in laboratory location or structural alterations, which may adversely affect the quality of analysis in the fields of testing for which the laboratory has been granted certification, require prior notification. Notification is also required for changes in ownership or laboratory director within 30 days after the change (HSC 100845(b) and (d)).

Contact our office at (916) 323-3431 or elapca@waterboards.ca.gov for questions.

Sincerely,

A handwritten signature in cursive script, appearing to read "Christine Sotelo".

Christine Sotelo, Chief
Environmental Laboratory Accreditation Program

Enclosure



CALIFORNIA STATE
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM
Accredited Fields of Testing



Fruit Growers Laboratory, Inc.

Visalia
9415 West Goshen Avenue
Visalia, CA 93291
Phone: 559-734-9473

Certificate No. 2810
Expiration Date 2/28/2020
INTERIM

Field of Testing: 101 - Microbiology of Drinking Water

101.010	001	Heterotrophic Bacteria	SM 9215 B
101.020	001	Total Coliform P/A	SM 9221 B
101.020	002	Fecal Coliform P/A	SM 9221 B,E
101.020	004	Total Coliform (Enumeration)	SM 9221 B,C
101.020	005	Fecal Coliform (Enumeration)	SM 9221 B,E
101.050	001	Total Coliform P/A	SM 9223 B Colilert
101.050	002	E. coli P/A	SM 9223 B Colilert
101.050	003	Total Coliform (Enumeration)	SM 9223 B Colilert
101.050	004	E. coli (Enumeration)	SM 9223 B Colilert
101.050	005	Total Coliform P/A	SM 9223 B Colilert 18
101.050	006	E. coli P/A	SM 9223 B Colilert 18
101.050	007	Total Coliform (Enumeration)	SM 9223 B Colilert 18
101.050	008	E. coli (Enumeration)	SM 9223 B Colilert 18
101.050	009	Total Coliform P/A	SM 9223 B Colisure
101.050	010	E. coli P/A	SM 9223 B Colisure
101.050	011	Total Coliform (Enumeration)	SM 9223 B Colisure
101.050	012	E. coli (Enumeration)	SM 9223 B Colisure
101.170	001	Enterococci	Enterolert

Field of Testing: 107 - Microbiology of Wastewater

107.010	001	Heterotrophic Bacteria	SM 9215 B
107.020	002	Total Coliform	SM 9221 B-2006
107.030	002	Total Coliform with Chlorine Present	SM 9221 B-2006
107.040	002	Fecal Coliform (Enumeration)	SM 9221 C,E-2006
107.050	002	Fecal Coliform with Chlorine Present	SM 9221 C,E-2006
107.242	001	Enterococci	Enterolert
107.245	001	E. coli (Enumeration)	SM 9223 B Colilert 18
107.245	002	E. coli (Enumeration)	SM 9223 B Colilert