

Lab ID : SP 123456-001 July 12, 2020

Customer ID : 2-0 **ABC Farms**

1234 Dry Creek Road Sampled On : June 23, 2020 Rio Linda, CA 95673

Sampled By : FGL

Received On : June 25, 2020 Matrix : Ag Water

Description: SA-1

: Demo Report Project

General Irrigation Suitability Analysis

Test Description	Result				Graphical Results Presentation					
Cations	mg/L	Meq/L	% Meq	Lbs/AF	Good	Possible Problem	Moderate Problem	Increasing Problem	Severe Problem	
Calcium	18	0.9	22	49	**					
Magnesium	10	0.82	20	27	**					
Potassium	2	0.051	1	5	**					
Sodium	52	2.3	56	140						
Anions										
Carbonate	< 10	0	0	0						
Bicarbonate	120	2	44	330	**					
Sulfate	42	0.87	19	110	**					
Chloride	58	1.6	36	160						
Nitrate	0.7	0.011	0	2						
Fluoride	< 0.1	0	0	0						
Minor Elements										
Boron	0.20			0.54						
Copper	< 0.01			0.00						
Iron	0.080			0.22						
Manganese	< 0.01		ł	0.00						
Zinc	< 0.02			0.00						
TDS by Summation	303			820						
Other										
pН	7.5			units						
E. C.	0.454			dS/m						
SAR	2.4									
Crop Suitability										
No Amendments	Fairly		Good							
With Amendments	Good									
Amendments										
Gypsum Requirement	0.3			Tons/AF						
Sulfuric Acid (98%)	7.0		(oz/1000Gal	Or 17 oz/1	1000Gal of	urea Sulfur	ric Acid (15	5/49).	
Leaching Requirement	3.4			%						

Good Problem

Note: Color coded bar graphs have been used to provide you with 'AT-A-GLANCE' interpretations.

** Used in various calculations; mg/L = Milligrams Per Liter (ppm) meq/L = Milliequivalents Per Liter



Corporate Offices & Laboratory

July 12, 2020 Lab ID : SP 123456-001

ABC Farms

Customer ID : 2-0
Description : SA-1

Micro Irrigation System Plugging Hazard

Test Description	Res	sult	Graphical Results Presentation				
Chemical			Slight	Moderate	Severe		
Manganese	< 0.01	mg/L					
Iron	0.08	mg/L					
TDS by Summation	303	mg/L					
No Amendments							
рН	7.5	units					
Alkalinity (As CaCO3)	100	mg/L					
Total Hardness	86.1	mg/L					
With Amendments							
Alkalinity (As CaCO3)	20	mg/L					
Total Hardness	20	mg/L					
рН	5.4 - 6.7	units					

Good Problem

Note: Color coded bar graphs have been used to provide you with 'AT-A-GLANCE' interpretations.

Water Amendments Application Notes:

The Amendments recommended on the previous pages include:

Gypsum:

SB1:EHB

This should be applied at least once a year to the irrigated soil surface area. Gypsum can also be applied in smaller quantities in the irrigation water. Apply the smaller (bracketed) amount of gypsum when also applying the recommended amount of Sulfuric Acid and the larger amount when applying only Gypsum.

Sulfuric Acid:

These products should be applied as needed to prevent emitter plugging in micro irrigation systems and/or as a soil amendment to adjust soil pH to improve nutrient availability and to facilitate leaching of salts. Please exercise caution when using this material as excesses may be harmful to the system and/or the plants being irrigated. The reported Acid requirement is intended to remove approximately 80 % of the alkalinity. The final pH should range from 5.4 to 6.7. We recommend a field pH determination to confirm that the pH you designate is being achieved. This application is based upon the use of a 98% Sulfuric Acid product. The application of Urea Sulfuric Acid is based upon the use of a product that contains 15% Urea (1.89 lbs Nitrogen), 49% Sulfuric Acid and has a specific gravity of 1.52 at 68 °F.

Guidelines for the above interpretations are sourced from USDA & U.C. Cooperative Extension Service publications. Please contact us if you have any questions.

FRUIT GROWERS LABORATORY, INC.

Scott Bucy, Director of Ag. Services